



AUTOSILICONEHOSES.COM



0844 8000 669


SILICONE HOSES

AutoSiliconeHoses.com offer the widest selection of Ex Stock Silicone Hoses prominently used in applications, ranging from Trucks & Buses to Performance Production Cars, F1 & WRC.

ASH don't just manufacture Silicone Hoses, we also supply Hose Clips, Alloy Tubing, Stainless Steel, Air Ductings.....



SILICONE STRAIGHT HOSES



AutoSiliconeHoses.com Straight Reinforced Silicone Hoses are used in a huge range of applications. The formulated multi layered reinforced construction makes them ideal to replace old rubber hoses and particularly suited for all custom coolant plumbing applications.

Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Special Colours	See www.autosiliconehoses.com
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm



CUSTOM COUPLERS

Silicone Couplers are available in 3 Colours:

Blue - Black - Red

Lengths from 50mm long to 950mm long are available on request.

Prices and More info at autosiliconehoses.com



1 METRE LENGTHS

Part No.	ID (mm)	ID (inch)	Plys	Price
SSH 006	6.5	1/4"	3	£7.49
SSH 008	8	5/16"	3	£7.58
SSH 009	9.5	3/8"	3	£8.50
SSH 011	11	7/16"	3	£9.29
SSH 013	13	1/2"	3	£10.46
SSH 016	16	5/8"	3	£11.50
SSH 019	19	3/4"	3	£12.36
SSH 022	22	7/8"	3	£13.65
SSH 025	25	1"	3	£14.49
SSH 028	28	1 1/8"	3	£15.59
SSH 030	30	1 3/16"	3	£16.28
SSH 032	32	1 1/4"	3	£17.28
SSH 035	35	1 3/8"	3	£18.84
SSH 038	38	1 1/2"	3	£20.01
SSH 040	40	1 5/8"	3	£21.11
SSH 045	45	1 3/4"	3	£22.54
SSH 048	48	1 7/8"	3	£24.10
SSH 051	51	2"	4	£24.35
SSH 054	54	2 1/8"	4	£25.52
SSH 057	57	2 1/4"	4	£27.21
SSH 060	60	2 3/8"	4	£28.22
SSH 063	63	2 1/2"	4	£29.34
SSH 065	65	2 9/16"	4	£31.19
SSH 068	68	2 11/16"	4	£32.88
SSH 070	70	2 3/4"	4	£34.01
SSH 076	76	3"	4	£36.02
SSH 080	80	3 1/8"	4	£38.44
SSH 083	83	3 1/4"	4	£40.32
SSH 090	90	3 1/2"	4	£44.64
SSH 102	102	4"	4	£45.71
SSH 114	114	4 1/2"	4	£51.08
SSH 127	127	5"	4	£57.69
SSH 152	152	6"	4	£60.32

UP TO 4 METRE CONTINUOUS LENGTHS

Part No.	ID (mm)	ID (inch)	Plys	Price (Metre)
SSH 008 C	8	5/16"	3	£7.49
SSH 009 C	9.5	3/8"	3	£8.50
SSH 013 C	13	1/2"	3	£10.46
SSH 016 C	16	5/8"	3	£11.50
SSH 019 C	19	3/4"	3	£12.36
SSH 025 C	25	1"	3	£14.49



COLOURS AVAILABLE

Blue (B) - Black (K) - Red (R) are stock colours. Other colours are special order items and take up to 21 days to manufacture.

SILICONE AUTO FLEX® HOSES



Part No.	ID (mm)	ID (inch)	Plys	Price (Metre)
SWR 006	6	1/4"	2	£10.64
SWR 008	8	5/16"	2	£11.62
SWR 010	9.5	3/8"	2	£13.63
SWR 011	11	7/16"	2	£16.68
SWR 013	13	1/2"	2	£18.34
SWR 016	16	5/8"	2	£19.49
SWR 019	19	3/4"	2	£20.64
SWR 022	22	7/8"	2	£22.94
SWR 025	25	1"	2	£24.09
SWR 028	28	1 1/8"	2	£26.39
SWR 030	30	1 3/16"	2	£27.54
SWR 032	32	1 1/4"	2	£29.84
SWR 035	35	1 3/8"	2	£32.14
SWR 038	38	1 1/2"	2	£33.35
SWR 040	40	1 5/8"	2	£35.65
SWR 045	45	1 3/4"	2	£37.89
SWR 048	48	1 7/8"	2	£39.04
SWR 051	51	2"	2	£40.19

AutoSiliconeHoses.com 'Auto Flex' Wire Reinforced Silicone Hoses offer increased flexibility, very high burst pressures, and will not collapse under vacuum.

The wire inner helix allows for the hose to be bent without fear of it kinking and reducing airflow.

Hose Specification

Material	Silicone with Polyester & Wire Reinforced
Standard Colours	Blue - Black - Red
Special Colours	See www.autosiliconehoses.com
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	2 Ply - 4.5mm

SILICONE RADIATOR HOSES



Part No.	ID (mm)	ID (inch)	Wall Thickness (mm)	Price (Metre)
SRH 002	2	3/32"	3	£3.55
SRH 003	3	1/8"	3	£3.91
SRH 005	5	3/16"	3	£4.44
SRH 006	6	1/4"	3	£5.33
SRH 008	8	5/16"	3	£5.52
SRH 010	10	3/8"	3	£5.82
SRH 013	13	1/2"	4	£6.60
SRH 016	16	5/8"	4	£8.16
SRH 019	19	3/4"	4	£9.44
SRH 022	22	7/8"	4	£10.48
SRH 025	25	1"	4	£11.06
SRH 032	32	1 1/4"	4	£14.56
SRH 035	35	1 3/8"	4	£15.72
SRH 038	38	1 1/2"	4	£16.89

AutoSiliconeHoses.com Radiator Heater Hoses have been specifically designed to cope with the extreme demands of heating and cooling systems where continuous lengths are required (up to 30 Metres).

A single ply polyester reinforced hose with a working temperature of +200°C exceeds the specification of standard rubber. Available in a range of sizes commonly found within automotive, marine & commercial engines.

Hose Specification

Material	Single Ply Extruded Silicone
Standard Colours	Blue & Black
Operating Temperatures	-60 °C to +200 °C
Reinforcement	1 Ply Polyester
Length	1 Metre to 30 Metres

SILICONE ELBOWS

AutoSiliconeHoses.com Silicone Hose Elbows, are manufactured with a formulated multi layered reinforced construction making them ideal for replacing old rubber hoses and particularly suited for all custom coolant plumbing applications

Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Special Colours	See www.autosiliconehoses.com
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Leg Length	45°/90° - 150mm 135°/180° - 100mm

COLOURS AVAILABLE

Blue (B) - Black (K) - Red (R) are stock colours. Other colours are special order items and take up to 21 days to manufacture.







45° ELBOW

90° ELBOW

135° ELBOW

180° ELBOW



45 Degree Part No.	90 Degree Part No.	135 Degree Part No.	180 Degree Part No.	ID (mm)	ID (inch)	Plys	Price
SSE 045 006	SSE 090 006	SSE 135 006	SSE 180 006	6.5	1/4"	3	£6.08
SSE 045 008	SSE 090 008	SSE 135 008	SSE 180 008	8	5/16"	3	£6.08
SSE 045 009	SSE 090 009	SSE 135 009	SSE 180 009	9.5	3/8"	3	£6.08
SSE 045 011	SSE 090 011	SSE 135 011	SSE 180 011	11	7/16"	3	£6.08
SSE 045 013	SSE 090 013	SSE 135 013	SSE 180 013	13	1/2"	3	£6.61
SSE 045 016	SSE 090 016	SSE 135 016	SSE 180 016	16	5/8"	3	£6.61
SSE 045 019	SSE 090 019	SSE 135 019	SSE 180 019	19	3/4"	3	£6.61
SSE 045 022	SSE 090 022	SSE 135 022	SSE 180 022	22	7/8"	3	£6.61
SSE 045 025	SSE 090 025	SSE 135 025	SSE 180 025	25	1"	3	£6.99
SSE 045 028	SSE 090 028	SSE 135 028	SSE 180 028	28	1 1/8"	3	£7.19
SSE 045 030	SSE 090 030	SSE 135 030	SSE 180 030	30	1 3/16"	3	£7.41
SSE 045 032	SSE 090 032	SSE 135 032	SSE 180 032	32	1 1/4"	3	£7.74
SSE 045 035	SSE 090 035	SSE 135 035	SSE 180 035	35	1 3/8"	3	£8.13
SSE 045 038	SSE 090 038	SSE 135 038	SSE 180 038	38	1 1/2"	3	£8.61
SSE 045 040	SSE 090 040	SSE 135 040	SSE 180 040	41	1 5/8"	3	£9.25
SSE 045 045	SSE 090 045	SSE 135 045	SSE 180 045	45	1 3/4"	3	£9.99
SSE 045 048	SSE 090 048	SSE 135 048	SSE 180 048	48	1 7/8"	3	£10.77
SSE 045 051	SSE 090 051	SSE 135 051	SSE 180 051	51	2"	4	£11.90
SSE 045 054	SSE 090 054	SSE 135 054	SSE 180 054	54	2 1/8"	4	£12.96
SSE 045 057	SSE 090 057	SSE 135 057	SSE 180 057	57	2 1/4"	4	£13.49
SSE 045 060	SSE 090 060	SSE 135 060	SSE 180 060	60	2 3/8"	4	£14.02
SSE 045 063	SSE 090 063	SSE 135 063	SSE 180 063	63	2 1/2"	4	£14.76
SSE 045 065	SSE 090 065	SSE 135 065	SSE 180 065	65	2 9/16"	4	£15.08
SSE 045 068	SSE 090 068	SSE 135 068	SSE 180 068	68	2 11/16"	4	£15.95
SSE 045 070	SSE 090 070	SSE 135 070	SSE 180 070	70	2 3/4"	4	£16.71
SSE 045 076	SSE 090 076	SSE 135 076	SSE 180 076	76	3"	4	£17.71
SSE 045 080	SSE 090 080	SSE 135 080	SSE 180 080	80	3 1/8"	4	£18.49
SSE 045 083	SSE 090 083	SSE 135 083	SSE 180 083	83	3 1/4"	4	£19.09
SSE 045 090	SSE 090 090	SSE 135 090	SSE 180 090	90	3 1/2"	4	£19.69
SSE 045 102	SSE 090 102	SSE 135 102	SSE 180 102	102	4"	4	£20.47

SILICONE T-PIECES

AutoSiliconeHoses.com T-Piece Reinforced Silicone Hoses are used in a wide range of applications. T-Piece Silicone Hoses have been designed to allow the integration of an additional outlet being plumbed into the cooling system.

Part No.	ID (mm)	ID (inch)	Plys	Price
STP 025	25	1"	3	£6.38
STP 032	32	1 1/4"	3	£7.12
STP 035	35	1 3/8"	3	£7.36
STP 038	38	1 1/2"	3	£7.84
STP 045	45	1 5/8"	3	£8.50
STP 051	51	2"	4	£9.86
STP 054	54	2 1/8"	4	£10.48
STP 057	57	2 1/4"	4	£11.41
STP 060	60	2 3/8"	4	£11.87
STP 063	63	2 1/2"	4	£12.50
STP 070	70	2 3/4"	4	£12.79
STP 076	76	3"	4	£13.05
STP 102	102	4"	4	£14.55



Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Length	150mm
Spout ID	25mm

SILICONE HUMP HOSES

AutoSiliconeHoses.com Hump Bellow Silicone Hoses are generally used in applications where there is movement between two outlets. The bellow in the hose is designed to absorb shock, vibrations and movement.



Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Length	100mm

Part No.	ID (mm)	ID (inch)	Plys	Price
SHH 045	45	1 5/8"	3	£5.52
SHH 051	51	2"	4	£7.67
SHH 057	57	2 1/4"	4	£7.73
SHH 060	60	2 3/8"	4	£8.28
SHH 063	63	2 1/2"	4	£8.72
SHH 070	70	2 3/4"	4	£9.11
SHH 076	76	3"	4	£9.94
SHH 080	80	3 1/8"	4	£11.04
SHH 090	90	3 1/2"	4	£12.14
SHH 102	102	4"	4	£13.25

SILICONE END CAPS

AutoSiliconeHoses.com Silicone End Caps are ideal for use as: End Caps - Blanking Plugs - Hose Finishers - Braided Hose End Covers. Available in 3 Colours to match your engine bay styling requirements.



Cap Specification

Material	Silicone Moulded Cap
Standard Colours	Blue - Black - Red
Operating Temperatures	-60 °C to +200 °C
Wall Thickness	3.5mm
Pack Qty	2 (1 Pair)

Part No.	ID (mm)	ID (inch)	Length (mm)	Price (pair)
SEC 004	4	5/32"	22	£2.50
SEC 006	6	1/4"	25	£2.75
SEC 008	8	5/16"	28	£3.00
SEC 010	10	3/8"	30	£3.25
SEC 012	12	1/2"	30	£3.50
SEC 016	16	5/8"	35	£3.75
SEC 018	18	3/4"	35	£4.00
SEC 020	20	4/5"	35	£4.25
SEC 025	25	1"	35	£4.50
SEC 028	28	1 1/8"	35	£4.75
SEC 030	30	1 3/16"	35	£5.00
SEC 032	32	1 1/4"	35	£5.00


SILICONE REDUCERS

AutoSiliconeHoses.com Reducing Silicone Hoses, manufactured with a formulated multi layered reinforced construction making them ideal for replacing old rubber hoses and particularly suited for all custom coolant plumbing applications.


Hose Specification

Material	Silicone with Polyester Reinforced
Standard Colours	Blue - Black - Red
Special Colours	See www.autosiliconehoses.com
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm
Length (straight)	127mm
Leg Length (elbows)	45° / 90° - 150mm


STRAIGHT REDUCERS



45° ELBOW REDUCERS



90° ELBOW REDUCERS



STRAIGHT



45°



90°

Part No.	ID (mm)	ID (inch)	Plys	Price
SSR 012 008	12 > 8	1/2" > 5/16"	3	£4.54
SSR 016 013	16 > 13	5/8" > 1/2"	3	£4.57
SSR 019 013	19 > 13	3/4" > 1/2"	3	£4.57
SSR 019 016	19 > 16	3/4" > 5/8"	3	£4.62
SSR 022 016	22 > 16	7/8" > 5/8"	3	£4.78
SSR 022 019	22 > 19	7/8" > 3/4"	3	£4.84
SSR 025 016	25 > 16	1" > 5/8"	3	£4.89
SSR 025 019	25 > 19	1" > 3/4"	3	£5.02
SSR 028 022	28 > 22	1 1/8" > 7/8"	3	£5.30
SSR 028 025	28 > 25	1 1/8" > 1"	3	£5.49
SSR 032 019	32 > 19	1 1/4" > 3/4"	3	£5.69
SSR 032 025	32 > 25	1 1/4" > 1"	3	£5.87
SSR 032 028	32 > 28	1 1/4" > 1 1/8"	3	£5.98
SSR 035 025	35 > 25	1 3/8" > 1"	3	£6.21
SSR 035 028	35 > 28	1 3/8" > 1 1/8"	3	£6.21
SSR 035 032	35 > 32	1 3/8" > 1 1/4"	3	£6.28
SSR 038 022	38 > 22	1 1/2" > 7/8"	3	£6.31
SSR 038 025	38 > 25	1 1/2" > 1"	3	£6.33
SSR 038 028	38 > 28	1 1/2" > 1 1/8"	3	£6.50
SSR 038 032	38 > 32	1 1/2" > 1 1/4"	3	£6.67
SSR 038 035	38 > 35	1 1/2" > 1 3/8"	3	£6.84
SSR 040 035	40 > 35	1 5/8" > 1 3/8"	3	£7.02
SSR 042 032	42 > 32	1 13/32" > 1 1/4"	3	£7.04
SSR 042 038	42 > 38	1 13/32" > 1 1/2"	3	£7.07
SSR 045 025	45 > 25	1 3/4" > 1"	3	£7.13
SSR 045 032	45 > 32	1 3/4" > 1 1/4"	3	£7.19
SSR 045 038	45 > 38	1 3/4" > 1 1/2"	3	£7.36
SSR 048 025	48 > 25	1 9/10" > 1"	4	£7.82
SSR 048 030	48 > 30	1 9/10" > 1 3/16"	4	£8.63
SSR 051 038	51 > 38	2" > 1 1/2"	4	£8.91
SSR 051 045	51 > 45	2" > 1 3/4"	4	£8.93
SSR 054 051	54 > 51	2 1/8" > 2"	4	£9.13
SSR 057 051	57 > 51	2 1/4" > 2"	4	£9.26
SSR 060 051	60 > 50	2 3/8" > 2"	4	£9.32
SSR 060 055	60 > 55	2 3/8" > 2 3/16"	4	£9.37
SSR 063 051	63 > 51	2 1/2" > 2"	4	£9.46
SSR 063 055	63 > 55	2 1/2" > 2 3/16"	4	£9.55
SSR 065 060	65 > 60	2 9/16" > 2 3/8"	4	£9.66
SSR 070 050	70 > 50	2 3/4" > 2"	4	£9.83
SSR 070 057	70 > 57	2 3/4" > 2 1/4"	4	£10.01
SSR 070 060	70 > 60	2 3/4" > 2 3/8"	4	£10.18
SSR 076 051	76 > 51	3" > 2"	4	£10.35
SSR 076 055	76 > 55	3" > 2 1/8"	4	£10.70
SSR 076 060	76 > 60	3" > 2 3/8"	4	£10.94
SSR 076 063	76 > 63	3" > 2 1/2"	4	£11.34
SSR 076 067	76 > 67	3" > 2 5/8"	4	£11.39
SSR 080 060	80 > 60	3 1/8" > 2 3/8"	4	£11.50
SSR 080 070	80 > 70	3 1/8" > 2 3/4"	4	£11.59
SSR 083 070	83 > 70	3 1/4" > 2 3/4"	4	£11.73
SSR 090 051	90 > 51	3 1/2" > 2"	4	£11.85
SSR 090 060	90 > 60	3 1/2" > 2 3/8"	4	£11.96
SSR 090 070	90 > 70	3 1/2" > 2 3/4"	4	£12.08
SSR 090 076	90 > 76	3 1/2" > 3"	4	£12.59
SSR 090 080	90 > 80	3 1/2" > 3 1/8"	4	£13.09
SSR 102 076	102 > 76	4" > 3"	4	£14.88
SSR 102 090	102 > 90	4" > 3 1/2"	4	£14.95
SSR 111 098	111 > 98	4 3/8" > 3 7/8"	4	£15.41
SSR 114 098	114 > 98	4 1/2" > 3 7/8"	4	£15.76
SSR 127 090	127 > 90	5" > 3 1/2"	4	£15.99
SSR 127 102	127 > 102	5" > 4"	4	£16.86

Part No.	ID (mm)	ID (inch)	Plys	Price
SFR 016 013	16 > 13	5/8" > 1/2"	3	£6.44
SFR 019 013	19 > 13	3/4" > 1/2"	3	£6.56
SFR 022 016	22 > 16	3/4" > 5/8"	3	£6.67
SFR 022 019	22 > 19	7/8" > 3/4"	3	£6.79
SFR 025 016	25 > 16	1" > 5/8"	3	£6.90
SFR 025 019	25 > 19	1" > 3/4"	3	£7.27
SFR 032 019	32 > 19	1 1/4" > 3/4"	3	£7.48
SFR 032 025	32 > 25	1 1/4" > 1"	3	£7.67
SFR 032 028	32 > 28	1 1/4" > 1 1/8"	3	£8.05
SFR 035 025	35 > 25	1 3/8" > 1"	3	£8.15
SFR 035 032	35 > 32	1 3/8" > 1 1/4"	3	£8.46
SFR 038 025	38 > 25	1 1/2" > 1"	3	£8.33
SFR 038 032	38 > 32	1 1/2" > 1 1/4"	3	£9.49
SFR 038 035	38 > 35	1 1/2" > 1 3/8"	3	£10.84
SFR 042 032	42 > 32	1 5/8" > 1 1/4"	3	£10.93
SFR 042 038	42 > 38	1 5/8" > 1 1/2"	3	£11.04
SFR 045 025	45 > 25	1 3/4" > 1"	3	£11.16
SFR 045 035	45 > 35	1 3/4" > 1 3/8"	3	£11.50
SFR 045 038	45 > 38	1 3/4" > 1 1/2"	3	£11.73
SFR 051 038	51 > 38	2" > 1 1/2"	4	£12.21
SFR 051 045	51 > 45	2" > 1 3/4"	4	£12.52
SFR 057 051	57 > 51	2 1/4" > 2"	4	£13.20
SFR 060 045	60 > 45	2 3/8" > 1 3/4"	4	£13.74
SFR 060 051	60 > 51	2 3/8" > 2"	4	£14.07
SFR 063 051	63 > 51	2 1/2" > 2"	4	£14.72
SFR 065 060	65 > 60	2 9/16" > 2 3/8"	4	£14.84
SFR 070 051	70 > 51	1 3/4" > 2"	4	£14.91
SFR 070 060	70 > 60	1 3/4" > 2 3/8"	4	£15.58
SFR 070 063	70 > 63	2 3/4" > 2 1/2"	4	£16.04
SFR 076 051	76 > 51	3" > 2"	4	£16.10
SFR 076 057	76 > 57	3" > 2 1/4"	4	£16.16
SFR 076 060	76 > 60	3" > 2 3/8"	4	£16.30
SFR 076 063	76 > 63	3" > 2 1/2"	4	£16.46
SFR 076 067	76 > 67	3" > 2 5/8"	4	£17.34
SFR 080 070	80 > 70	3 1/8" > 2 3/4"	4	£17.42
SFR 090 051	90 > 51	3 1/2" > 2"	4	£17.48
SFR 090 076	90 > 76	3 1/2" > 3"	4	£18.37
SFR 090 080	90 > 80	3 1/2" > 3 1/8"	4	£20.03
SFR 102 076	102 > 76	4" > 3"	4	£20.39
SFR 111 098	111 > 98	4 3/8" > 3 7/8"	4	£20.70
SFR 114 098	114 > 98	4 1/2" > 3 7/8"	4	£21.28
SFR 127 090	127 > 90	5" > 3 1/2"	4	£21.85

COLOURS AVAILABLE

Blue (B) - Black (K) - Red (R) are stock colours.

Straight Reducers and 90° Elbow Reducers are available in special order colours and take up to 21 days to manufacture.

See pages 1 & 3 for more coloured hose options.

HOSE CLIPS & CLAMPS

For a full range of Worm Drive Hose Clips, T-Bolt Clamps, Rubber P-Clips & Mini Clamps go to pages 17 to 20.

Available in Zinc Plated & Stainless Steel.

SILICONE FUEL & OIL HOSES

AutoSiliconeHoses.com Fluoro Lined Silicone Hoses are used in a huge range of applications ranging from trucks to F1 cars, where they have fuel or oil mist recirculated through the induction system.

Not suitable for continuous transfer of fuel & oil.

Hose Specification

Material	Silicone with Polyester Reinforced
Lining Material	Silicone Fluoro Lined
Colours	Blue
Operating Temperatures	-60 °C to +180 °C
Wall Thickness	3 Ply - 4.5mm 4 Ply - 5.5mm

1 METRE STRAIGHT LENGTHS

Part No.	ID (mm)	ID (inch)	Plys	Price
FSL 006	6.5mm	1/4"	3	£11.17
FSL 008	8.0mm	5/16"	3	£12.18
FSL 010	9.5mm	3/8"	3	£13.19
FSL 013	13mm	7/16"	3	£16.34
FSL 016	16mm	1/2"	3	£18.75
FSL 019	19mm	3/4"	3	£21.07
FSL 022	22mm	7/8"	3	£23.53
FSL 025	25mm	1"	3	£25.62
FSL 028	28mm	1 1/8"	3	£28.46
FSL 030	30mm	1 3/16"	3	£30.05
FSL 032	32mm	1 1/4"	3	£31.76
FSL 035	35mm	1 3/8"	3	£34.21
FSL 038	38mm	1 1/2"	3	£36.49
FSL 040	40mm	1 5/8"	3	£38.12
FSL 045	45mm	1 3/4"	3	£41.58
FSL 048	48mm	1 7/8"	3	£43.59
FSL 051	51mm	2"	4	£47.61
FSL 054	54mm	2 1/8"	4	£51.75

45° & 90° ELBOWS

45° Part No	90° Part No	ID (mm)	ID (inch)	Plys	Price
FSL 045 006	FSL 090 006	6.5	1/4"	3	£8.63
FSL 045 008	FSL 090 008	8	5/16"	3	£9.14
FSL 045 009	FSL 090 009	9.5	3/8"	3	£9.49
FSL 045 011	FSL 090 011	11	7/16"	3	£10.29
FSL 045 013	FSL 090 013	13	1/2"	3	£10.81
FSL 045 016	FSL 090 016	16	5/8"	3	£10.96
FSL 045 019	FSL 090 019	19	3/4"	3	£10.96
FSL 045 022	FSL 090 022	22	7/8"	3	£11.10
FSL 045 025	FSL 090 025	25	1"	3	£11.41
FSL 045 028	FSL 090 028	28	1 1/8"	3	£11.93
FSL 045 030	FSL 090 030	30	1 3/16"	3	£12.28
FSL 045 032	FSL 090 032	32	1 1/4"	3	£12.45
FSL 045 035	FSL 090 035	35	1 3/8"	3	£12.72
FSL 045 038	FSL 090 038	38	1 1/2"	3	£12.98
FSL 045 040	FSL 090 040	40	1 5/8"	3	£13.34
FSL 045 045	FSL 090 045	45	1 3/4"	3	£14.03
FSL 045 048	FSL 090 048	48	1 7/8"	3	£16.23
FSL 045 051	FSL 090 051	51	2"	4	£19.73
FSL 045 054	FSL 090 054	54	2 1/8"	4	£21.48
FSL 045 057	FSL 090 057	57	2 1/4"	4	£22.37
FSL 045 060	FSL 090 060	60	2 3/8"	4	£23.24
FSL 045 063	FSL 090 063	63	2 1/2"	4	£24.47
FSL 045 065	FSL 090 065	65	2 9/16"	4	£25.00
FSL 045 068	FSL 090 068	68	2 11/16"	4	£25.45
FSL 045 070	FSL 090 070	70	2 3/4"	4	£26.14
FSL 045 076	FSL 090 076	76	3"	4	£26.80
FSL 045 080	FSL 090 080	80	3 1/8"	4	£28.07
FSL 045 083	FSL 090 083	83	3 1/4"	4	£28.96
FSL 045 090	FSL 090 090	90	3 1/2"	4	£29.82
FSL 045 102	FSL 090 102	102	4"	4	£30.71



SILICONE VACUUM HOSES


AutoSiliconeHoses.com Extruded Silicone Tubing is ideal for use as: Vacuum Lines - Washer Tubing - Coolant Overflow - Wire Insulation - Emission Control. Available in up to 10 Colours to match any engine bay styling requirements.

Hose Specification

Material	Extruded Silicone
Standard Colours	Blue - Black - Red - Clear
Special Colours (3mm only)	White - Orange - Purple - Pink - Green - Yellow
Operating Temperatures	-60 °C to +200 °C
Coil Length	30 Metres

Part No.	ID (mm)	ID (inch)	Wall Thickness	Price (Metre)
SVH 002	2	3/32"	2mm	£2.48
SVH 003	3	1/8"	2mm	£2.71
SVH 004	4	5/32"	2mm	£2.83
SVH 005	5	3/16"	2.5mm	£3.23
SVH 006	6	1/4"	2.5mm	£3.40
SVH 007	7	9/32"	3mm	£3.52
SVH 008	8	5/16"	3mm	£4.21
SVH 010	10	3/8"	3mm	£4.55
SVH 013	13	1/2"	2.5mm	£4.78
SVH 016	16	5/8"	2.5mm	£5.51
SVH 019	19	3/4"	3mm	£6.87
SVH 022	22	7/8"	3mm	£7.79
SVH 025	25	1"	3mm	£8.10

STANDARD COLOURS - ALL SIZES



SPECIAL COLOURS - 3MM ID ONLY



SILICONE VACUUM HOSE DISTRIBUTOR PRICE STRUCTURE

AutoSiliconeHoses.com Silicone Vacuum Hose is available in a multitude of sizes and lengths. We are able to offer fantastic savings against large volume orders. The discount structure shows the price per metre based upon the total number of metres you buy in one complete order.

Available in lengths from 30 Metre up to 1020 Metres (maximum coil length 30 metres). You can combine different colours and sizes of tubing in order to achieve a higher discount level.

Order Example:

30m Red x 30 Metres
10mm Blue x 90 Metres
25mm Black x 120 Metres
Total Number of Metres: 240 Metres

Based upon the total number of metres bought in this one order the price applied by diameter is the price noted under the '240m'.

30M Coils

Part No.	Size ID	Wall	30m	60m	120m	240m	510m	1020m
SVH 002	2mm	2mm	£1.15	£0.78	£0.43	£0.37	£0.31	£0.30
SVH 003	3mm	2mm	£1.26	£0.85	£0.57	£0.44	£0.37	£0.35
SVH 004	4mm	2mm	£1.31	£0.92	£0.64	£0.50	£0.44	£0.42
SVH 005	5mm	2.5mm	£1.50	£1.13	£0.84	£0.69	£0.62	£0.60
SVH 006	6mm	2.5mm	£1.58	£1.23	£0.92	£0.76	£0.70	£0.67
SVH 007	7mm	2.5mm	£1.63	£1.29	£0.97	£0.81	£0.74	£0.72
SVH 008	8mm	3mm	£1.95	£1.51	£1.23	£1.06	£0.97	£0.94
SVH 010	10mm	3mm	£2.11	£1.78	£1.38	£1.22	£1.12	£1.09
SVH 013	13mm	3mm	£2.22	£1.86	£1.53	£1.42	£1.32	£1.28
SVH 016	16mm	3mm	£2.55	£2.25	£1.91	£1.72	£1.67	£1.63
SVH 019	19mm	3mm	£3.18	£2.89	£2.65	£2.45	£2.43	£2.26
SVH 022	22mm	3mm	£3.61	£3.19	£2.89	£2.74	£2.60	£2.52
SVH 025	25mm	3mm	£3.75	£3.38	£3.19	£3.04	£2.89	£2.77

ALLOY & STAINLESS PIPES

AutoSiliconeHoses offer an extensive range of aluminium & stainless steel pipework and accessories. Including made to measure alloy joiners with optional beading, alloy and stainless steel elbows, alloy T-Pieces, blanking plugs and much more.



ALLOY STRAIGHT PIPES

AutoSiliconeHoses.com offer T6063 Alloy 1 Metre Lengths in a wide range of sizes, with a mirror polished finish and with optional swaging service. Excellent lightweight option for your hose joining applications.



Pipe Specification

Material	Polished Aluminium
Grade	T6063
Max Temperature	+220 °C
Wall Thickness	1.6mm



CUSTOM ALLOY JOINERS

Custom Alloy Joiners are available in lengths from 50mm to 950mm. Most alloy pipework can be custom beaded.

Joiners can also have an optional end bead. From 22mm to 102mm.

Prices and more info at autosiliconehoses.com



100MM BEADED JOINERS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
AHJ 100 006	6	1/4"	1.6mm	£2.20
AHJ 100 008	8	5/16"	1.6mm	£2.30
AHJ 100 009	9.5	3/8"	1.6mm	£2.40
AHJ 100 011	11	7/16"	1.6mm	£2.45
AHJ 100 013	13	1/2"	1.6mm	£2.62
AHJ 100 016	16	5/8"	1.6mm	£2.88
AHJ 100 019	19	3/4"	1.6mm	£3.04
AHJ 100 022	22	7/8"	1.6mm	£3.21
AHJ 100 025	25	1"	1.6mm	£3.46
AHJ 100 028	28	1 1/8"	1.6mm	£3.55
AHJ 100 030	30	1 3/16"	1.6mm	£3.74
AHJ 100 032	32	1 1/4"	1.6mm	£3.87
AHJ 100 035	35	1 3/8"	1.6mm	£4.17
AHJ 100 038	38	1 1/2"	1.6mm	£4.59
AHJ 100 040	40	1 5/8"	1.6mm	£4.85
AHJ 100 045	45	1 3/4"	1.6mm	£5.41
AHJ 100 051	51	2"	1.6mm	£5.95
AHJ 100 054	54	2 1/8"	1.6mm	£6.31
AHJ 100 057	57	2 1/4"	1.6mm	£6.75
AHJ 100 060	60	2 3/8"	1.6mm	£7.01
AHJ 100 063	63	2 1/2"	1.6mm	£7.15
AHJ 100 065	65	2 9/16"	1.6mm	£7.30
AHJ 100 068	68	2 11/16"	1.6mm	£7.40
AHJ 100 070	70	2 3/4"	1.6mm	£8.20
AHJ 100 076	76	3"	1.6mm	£8.50
AHJ 100 080	80	3 1/8"	1.6mm	£8.80
AHJ 100 083	83	3 1/4"	1.6mm	£9.15
AHJ 100 090	90	3 1/2"	1.6mm	£9.29
AHJ 100 102	102	4"	1.6mm	£9.29

1 METRE LENGTHS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
APT 006	6	1/4"	1.6mm	£4.75
APT 008	8	5/16"	1.6mm	£5.79
APT 009	9.5	3/8"	1.6mm	£6.18
APT 013	13	1/2"	1.6mm	£6.60
APT 016	16	5/8"	1.6mm	£7.26
APT 019	19	3/4"	1.6mm	£7.65
APT 022	22	7/8"	1.6mm	£8.07
APT 025	25	1"	1.6mm	£8.73
APT 028	28	1 1/8"	1.6mm	£9.42
APT 032	32	1 1/4"	1.6mm	£9.75
APT 038	38	1 1/2"	1.6mm	£10.50
APT 040	40	1 5/8"	1.6mm	£11.55
APT 045	45	1 3/4"	1.6mm	£12.21
APT 051	51	2"	1.6mm	£13.62
APT 054	54	2 1/8"	1.6mm	£15.75
APT 057	57	2 1/4"	1.6mm	£15.87
APT 060	60	2 3/8"	1.6mm	£17.64
APT 063	63	2 1/2"	1.6mm	£18.63
APT 070	70	2 3/4"	1.6mm	£20.64
APT 076	76	3"	1.6mm	£18.00
APT 080	80	3 1/8"	1.6mm	£21.40
APT 090	90	3 1/2"	1.6mm	£23.40
APT 102	102	4"	1.6mm	£27.30

ALLOY ELBOWS

AutoSiliconeHoses.com Mirror Polished T6063 Alloy Elbows are an excellent lightweight option for your hose joining and bespoke induction applications. T6063 alloy grade offers an excellent lightweight option for your hose joining applications.


Ideal for use in custom intercooler kits, See pages 1 to 6 for Silicone Hose range. Go to page 24 for Intercoolers, now available in 2 sizes.

Pipe Specification

Material	Polished Aluminium
Grade	T6063
Max Temperature	+220 °C
Wall Thickness	1.6mm
Leg Length	45°/90° - 150mm 135°/180° - 100mm




45° ELBOW




45 Degree Part No.

90° ELBOW




90 Degree Part No.

135° ELBOW



135 Degree Part No.

180° ELBOW



180 Degree Part No.

45 Degree Part No.	90 Degree Part No.	135 Degree Part No.	180 Degree Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
AHE 045 013	AHE 090 013	AHE 135 013	AHE 180 013	13	1/2"	1.6mm	£8.95
AHE 045 016	AHE 090 016	AHE 135 016	AHE 180 016	16	5/8"	1.6mm	£8.95
AHE 045 019	AHE 090 019	AHE 135 019	AHE 180 019	19	3/4"	1.6mm	£8.95
AHE 045 025	AHE 090 025	AHE 135 025	AHE 180 025	25	1"	1.6mm	£9.50
AHE 045 032	AHE 090 032	AHE 135 032	AHE 180 032	32	1 1/4"	1.6mm	£9.50
AHE 045 038	AHE 090 038	AHE 135 038	AHE 180 038	38	1 1/2"	1.6mm	£9.50
AHE 045 051	AHE 090 051	AHE 135 051	AHE 180 051	51	2"	1.6mm	£11.76
AHE 045 057	AHE 090 057	AHE 135 057	AHE 180 057	57	2 1/4"	1.6mm	£12.13
AHE 045 060	AHE 090 060	AHE 135 060	AHE 180 060	60	2 3/8"	1.6mm	£14.69
AHE 045 063	AHE 090 063	AHE 135 063	AHE 180 063	63	2 1/2"	1.6mm	£14.69
AHE 045 070	AHE 090 070	AHE 135 070	AHE 180 070	70	2 3/4"	1.6mm	£14.69
AHE 045 076	AHE 090 076	AHE 135 076	AHE 180 076	76	3"	1.6mm	£15.79
AHE 045 080	AHE 090 080	AHE 135 080	AHE 180 080	80	3 1/8"	1.6mm	£17.20
AHE 045 090	AHE 090 090	AHE 135 090	AHE 180 090	90	3 1/2"	1.6mm	£18.20
AHE 045 102	AHE 090 102	AHE 135 102	AHE 180 102	102	4"	1.6mm	£18.50

ALLOY T-PIECES

AutoSiliconeHoses.com range of Alloy T-Pieces are made from lightweight mirror polished T6063 aluminium. Each end on the T-Piece feature swaged ends (1.5mm raised beaded lip), essential for secure hose installation on high boost applications.

Spout OD is 25mm on all sizes



Pipe Specification	
Material	Polished Aluminium
Grade	T6063
Length	102mm
Max Temperature	+220 °C
Wall Thickness	1.6mm
Spout OD	25mm

Part No.	ID (mm)	ID (inch)	Wall Thickness	Price
ATP 025	25	1"	1.6mm	£9.95
ATP 032	32	1 1/4"	1.6mm	£10.00
ATP 038	38	1 1/2"	1.6mm	£10.05
ATP 045	45	1 3/4"	1.6mm	£10.10
ATP 051	51	2"	1.6mm	£10.20
ATP 057	57	2 1/4"	1.6mm	£10.95
ATP 060	60	2 3/8"	1.6mm	£10.95
ATP 063	63	2 1/2"	1.6mm	£11.50
ATP 070	70	2 3/4"	1.6mm	£12.50
ATP 076	76	3"	1.6mm	£13.50
ATP 090	90	3 1/2"	1.6mm	£14.50
ATP 102	102	4"	1.6mm	£15.95

WATER SENSOR ADAPTORS



Part No.	ID (mm)	ID (inch)	Price
AWA 028	28	1 1/8"	£9.72
AWA 030	30	1 3/16"	£9.72
AWA 032	32	1 1/4"	£9.72
AWA 034	34	1 11/32"	£9.72
AWA 036	36	1 13/32"	£9.72
AWA 038	38	1 1/2"	£9.72

AutoSiliconeHoses.com Polished Alloy Water Sensor Adaptor can be fitted into a section of a water pipe. 1/8th NPT thread suits all popular water temperature sensors. Available in Polished Silver, Anodised Blue and Anodised Red.

Adaptor Specification	
Material	CNC Aluminium T6063
Insert/Spout Length	20mm
Overall Length	65mm
Sensor Thread	1/8th NPT Thread

ALLOY BLANKING PLUGS

Alloy Blanking Plugs can be used to seal off unused Silicone & Rubber hose ends. Each plug is grooved for an ultimate seal, ensuring no leaks. CNC machined and polished finish.

Plug Specification	
Material	CNC Aluminium T6063
Insert/Spout Length	25mm (grooved)
Overall Length	32mm

Part No.	ID (mm)	ID (inch)	Price
ABP 008	8	5/16"	£4.20
ABP 010	10	3/8"	£4.20
ABP 013	13	1/2"	£4.20
ABP 016	16	5/8"	£4.20
ABP 019	19	3/4"	£4.76
ABP 022	22	7/8"	£4.76
ABP 025	25	1"	£4.76
ABP 032	32	1 1/4"	£5.90
ABP 035	35	1 3/8"	£5.90
ABP 038	38	1 1/2"	£5.90



STAINLESS STEEL PIPES

AutoSiliconeHoses.com Stainless Steel high performance pipe is designed for a wide range of applications. Mirror Polished Stainless Steel T304 grade can be used in applications including Motor Sport, Marine, Industrial and Agricultural.

1 METRE LENGTHS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPT 019	19mm	3/4"	1.6mm	£11.95
SPT 025	25mm	1"	1.6mm	£13.95
SPT 038	38mm	1 1/2"	1.6mm	£16.95
SPT 051	51mm	2"	1.6mm	£22.95
SPT 063	63mm	2 1/2"	1.6mm	£31.95
SPT 076	76mm	3"	1.6mm	£35.95

45° ELBOWS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPE 045 013	13	1/2"	1.6mm	£7.10
SPE 045 016	16	5/8"	1.6mm	£7.50
SPE 045 019	19	3/4"	1.6mm	£7.85
SPE 045 025	25	1"	1.6mm	£8.10
SPE 045 032	32	1 1/4"	1.6mm	£9.50
SPE 045 038	38	1 1/2"	1.6mm	£11.85
SPE 045 051	51	2"	1.6mm	£11.85
SPE 045 057	57	2 1/4"	1.6mm	£13.55
SPE 045 060	60	2 3/8"	1.6mm	£13.55
SPE 045 063	63	2 1/2"	1.6mm	£13.55
SPE 045 070	70	2 3/4"	1.6mm	£15.27
SPE 045 076	76	3"	1.6mm	£15.27
SPE 045 102	102	4"	1.6mm	£25.95

90° ELBOWS

Part No.	OD (mm)	OD (inch)	Wall Thickness	Price
SPE 090 013	13	1/2"	1.6mm	£7.10
SPE 090 016	16	5/8"	1.6mm	£7.50
SPE 090 019	19	3/4"	1.6mm	£7.85
SPE 090 025	25	1"	1.6mm	£8.10
SPE 090 032	32	1 1/4"	1.6mm	£9.50
SPE 090 038	38	1 1/2"	1.6mm	£11.85
SPE 090 051	51	2"	1.6mm	£11.85
SPE 090 057	57	2 1/4"	1.6mm	£13.55
SPE 090 060	60	2 3/8"	1.6mm	£13.55
SPE 090 063	63	2 1/2"	1.6mm	£13.55
SPE 090 070	70	2 3/4"	1.6mm	£15.27
SPE 090 076	76	3"	1.6mm	£15.27
SPE 090 102	102	4"	1.6mm	£25.95

Pipe Specification

Material	Stainless Steel
Grade	T304
Temperature	-60 °C + 220 °C
Wall Thickness	1.6mm
Elbow Leg Length	150mm



STAINLESS STEEL OVERBRAID

Auto Silicone Hoses Stainless Steel Braid is designed to slide over the top of your existing hoses whether they be Rubber, Silicone etc to give high performance show spec look and added protection.

Braid Specification


Material	Stainless Steel T304
Max Temperature	+220 °C

Part No.	Fitment Range (mm)	Max Length	Price (per metre)
SSO 006 015	6 - 15	28m	£6.77
SSO 016 028	16 - 28	28m	£8.97
SSO 029 040	29 - 40	28m	£15.93


Max Length: 28M



AIR DUCTINGS

 AutoSiliconeHoses.com range of low, medium and high temperature ducting's are perfectly suited for a vast range of air relocation projects.

Available in both single ply and double ply for extra durability, we also now have a range of high gloss silicone coated ducting's to match perfectly with our range of silicone hoses.



NEOPRENE BLACK 1 & 2 PLY



1 METRE TO 4 METRES

1 Ply Part No. (Metre)	1 Ply Part No. (Metre)	ID (mm)	ID (inch)	1 Ply Price (Metre)	2 Ply Price (Metre)
FND 100 025	FNT 100 025	25	1"	£10.14	£10.56
FND 100 032	FNT 100 032	32	1 1/2"	£10.04	£10.74
FND 100 035	FNT 100 035	35	1 3/8"	£10.56	£10.74
FND 100 038	FNT 100 038	38	1 1/2"	£10.56	£11.13
FND 100 045	FNT 100 045	45	1 3/4"	£11.08	£12.72
FND 100 051	FNT 100 051	51	2"	£11.69	£13.77
FND 100 057	FNT 100 057	57	2 1/4"	£11.95	£14.37
FND 100 060	FNT 100 060	60	3 1/4"	£12.23	£14.76
FND 100 063	FNT 100 063	63	2 1/2"	£12.54	£15.54
FND 100 070	FNT 100 070	70	2 3/4"	£13.23	£16.23
FND 100 076	FNT 100 076	76	3"	£13.70	£17.40
FND 100 080	FNT 100 080	80	3 1/8"	£14.07	£17.79
FND 100 083	FNT 100 083	83	3 1/4"	£14.28	£19.02
FND 100 090	FNT 100 090	90	3 1/2"	£14.82	£19.59
FND 100 095	FNT 100 095	95	3 3/4"	£15.40	£20.61
FND 100 102	FNT 100 102	102	4"	£15.09	£21.84

AutoSiliconeHoses.com Black Neoprene Air Ducting features black neoprene with Internal bronze coated steel spiral spring to maintain diameter. Available in single and double ply.

Ducting Specification	
Construction	Glass Fabric Inner / Neoprene Outer
Colour	Black
Lengths	1 Metre to 4 Metres
Operating Temperature	-55 °C to +125 °C

SILICONE ORANGE 1 & 2 PLY



1 METRE TO 4 METRES

1 Ply Part No. (Metre)	2 Ply Part No. (Metre)	ID (mm)	ID (inch)	1 Ply Price (Metre)	2 Ply Price (Metre)
FSD 100 051	FST 100 051	51	2"	£14.42	£16.50
FSD 100 057	FST 100 057	57	2 1/4"	£15.08	£17.28
FSD 100 060	FST 100 060	60	3 1/4"	£15.39	£18.15
FSD 100 063	FST 100 063	63	2 1/2"	£15.84	£18.75
FSD 100 070	FST 100 070	70	2 3/4"	£16.80	£20.04
FSD 100 076	FST 100 076	76	3"	£17.63	£21.24
FSD 100 080	FST 100 080	80	3 1/8"	£18.18	£21.69
FSD 100 083	FST 100 083	83	3 1/4"	£18.70	£22.71
FSD 100 090	FST 100 090	90	3 1/2"	£19.42	£24.24
FSD 100 095	FST 100 095	95	3 3/4"	£20.32	£25.68
FSD 100 102	FST 100 102	102	4"	£21.22	£27.30

AutoSiliconeHoses.com Orange Silicone Air Ducting features a layer of specially formulated glass fabric, extremely durable & hard wearing orange silicone. Complete with external locking cord & Internal bronze coated steel spiral spring to maintain diameter. Extremely lightweight. Available in single and double ply

Ducting Specification	
Construction	Glass Fabric Inner / Silicone Outer
Colour	Orange
Lengths	1 Metre to 4 Metres
Operating Temperature	-60 °C to +260 °C

SILICONE BLUE 2 PLY



1 METRE TO 4 METRES

Part No.	ID (mm)	ID (inch)	Price (Metre)
FBD 100 051	51	2"	£22.08
FBD 100 057	57	2 1/4"	£23.09
FBD 100 060	60	2 3/8"	£23.53
FBD 100 063	63	2 1/2"	£24.26
FBD 100 070	70	2 3/4"	£25.75
FBD 100 076	76	3"	£26.99
FBD 100 080	80	3 1/8"	£27.85
FBD 100 083	83	3 1/4"	£27.85
FBD 100 090	90	3 1/2"	£29.75
FBD 100 102	102	4"	£32.49

AutoSiliconeHoses.com Silicone Coated 2 Ply Air Ducting features a double layer of specially formulated, extremely durable & hard wearing silicone, complete with Internal bronze coated steel spiral spring to maintain diameter. Extremely lightweight.

Ducting Specification	
Construction	Glass Fabric Inner / Silicone Outer
Colours	Blue - Black - Red
Lengths	1 Metre to 4 Metres
Operating Temperature	-60 °C to +325 °C
Plys	2 Ply

SILICONE RED 2 PLY



Part No.	ID (mm)	ID (inch)	Price (Metre)
FRD 100 051	51	2"	£22.08
FRD 100 057	57	2 1/4"	£23.09
FRD 100 060	60	2 3/8"	£23.53
FRD 100 063	63	2 1/2"	£24.26
FRD 100 070	70	2 3/4"	£25.75
FRD 100 076	76	3"	£26.99
FRD 100 080	80	3 1/8"	£27.85
FRD 100 083	83	3 1/4"	£27.85
FRD 100 090	90	3 1/2"	£29.75
FRD 100 102	102	4"	£32.49

SILICONE BLACK 2 PLY



Part No.	ID (mm)	ID (inch)	Price (Metre)
FKD 100 051	51	2"	£22.08
FKD 100 057	57	2 1/4"	£23.09
FKD 100 060	60	2 3/8"	£23.53
FKD 100 063	63	2 1/2"	£24.26
FKD 100 070	70	2 3/4"	£25.75
FKD 100 076	76	3"	£26.99
FKD 100 080	80	3 1/8"	£27.85
FKD 100 083	83	3 1/4"	£27.85
FKD 100 090	90	3 1/2"	£29.75
FKD 100 102	102	4"	£32.49

SILICONE COATED AIR DUCTING

All Air Ducting is available in 1, 2, 3 & 4 metre lengths.

Order Example:
1 Metre - FBD 100 051
3 Metre - FBD 300 051

100 = 1 Metre Length
200 = 2 Metre Length
300 = 3 Metre Length
400 = 4 Metre Length



AIR FILTERS

AutoSiliconeHoses.com offer a comprehensive range of performance upgrade Air Filters, covering a vast range of sizing options and colours.

Our filters have an expanded 89mm neck diameter, with included reducers to fit the majority of applications. Mini Breather Filters are available in 6 colours.



SINGLE CONE



Part No.	Colour	Price
AFS B	BLUE	£11.40
AFS R	RED	£11.40
AFS S	SILVER	£11.40



Performance Air Filters are a high efficiency air cleaner system developed for high performance vehicles.

Prominently used in uprated engine systems to increase the amount air flow thus improving performance, air quality and BHP ratings.

All Filters Include:
4x Reducers (ID) + 1x Hose Clip

TWIN CONE



Part No.	Colour	Price
AFT B	BLUE	£12.25
AFT R	RED	£12.25
AFT S	SILVER	£12.25
AFT G	GREEN	£12.25



Filter Specification


Filter Material	Cotton Gauze
Fitment Diameters	60, 63, 70, 76, 89 (mm)
Operating Temperature	-60 °C to +200 °C

60mm 63mm 70mm 76mm 89mm Hose Clip

MUSHROOM



Part No.	Colour	Price
AFM B	BLUE	£11.95
AFM R	RED	£11.95
AFM Y	YELLOW	£11.95
AFM G	GREEN	£11.95



MINI BREATHER



AutoSiliconeHoses.com Mini Breather Air Filters consist of a robust filter element in a choice of colour gauzes and a stainless steel option. A rubber neck sleeve in a variety of sizes enables you to select the size suitable for your application. Branded with the ASH trademark.

CARBON AIRBOX

AutoSiliconeHoses.com genuine Carbon Fibre Air Box - The reason for using Carbon Fibre over other available materials, other than that it looks stunning, is that carbon fibre has a low thermal conductivity allowing insulation from the engine heat to the aspirated air. Inner filter can be removed for cleaning.

Filter Specification

Filter Material	Cotton Gauze
Case Material	Carbon Fibre
Dimensions (WxH)	130mm x 185mm
Outlet Diameter	76mm
Operating Temperature	-60 °C to +200 °C

POLISHED

Part No.	ID (mm)	ID (inch)	Price
AFB 009	9	3/8"	£4.54
AFB 012	12	7/16"	£4.54
AFB 015	15	5/8"	£4.54
AFB 018	18	3/4"	£4.54
AFB 025	25	1"	£4.54

ANODISED

Part No.	ID (mm)	ID (inch)	Price
AFB 009	9	3/8"	£5.69
AFB 012	12	7/16"	£5.69
AFB 015	15	5/8"	£5.69
AFB 018	18	3/4"	£5.69
AFB 025	25	1"	£5.69

Polished	Anodised
Blue: Order Suffix 'B'	Anodised Blue: Order Suffix 'AB'
Red: Order Suffix 'R'	Anodised Red: Order Suffix 'AR'
Green: Order Suffix 'G'	
Silver: Order Suffix 'S'	



CAB 001
£57.44



HOSE CLIPS & CLAMPS

Every Hose needs a Hose Clip! That is why AutoSiliconeHoses.com offer a Hose Clip for every hose we manufacture. Covering our vast range of sizes and available in both Zinc Plated & Stainless Steel.

For high pressure applications we recommend using T Bolt Hose Clamps.



WORM DRIVE HOSE CLIPS

AutoSiliconeHoses.com Hose Clips are designed to suit most hose applications. Worm Drive head and 12mm wide band ensures maximum thrust when tightening. BSI standards in all areas, providing excellent reliability.

W1 - Zinc Plated Mild Steel Band, Housing & Screw
W4 - Stainless Steel Band, Housing & Screw

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rolled Edges
Screw Type	Slotted Hex Head
Standard	DIN 3017



T BOLT HOSE CLAMPS

T-Bolt Clamps have a set screw which pulls the two sides of the clamp together, and a wide band width, creating a heavy duty hose clamp. Ideal for turbo pressure hoses and high pressure engine cooling hoses.

W1 - Zinc Plated Mild Steel Band, Cylinders, Flange & Bolt
W4 - Stainless Steel Band, Cylinders, Flange & Bolt

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rolled Edges
Screw Type	Hex Head



Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
9.5 - 12	0.6	7	12	PHC 009 012	£0.29	SHC 009 012	£0.59
11 - 16	0.6	7	12	PHC 011 016	£0.31	SHC 011 016	£0.62
13 - 20	0.6	7	12	PHC 013 020	£0.33	SHC 013 020	£0.67
16 - 22	0.6	7	12	PHC 016 022	£0.35	SHC 016 022	£0.69
18 - 25	0.6	7	12	PHC 018 025	£0.36	SHC 018 025	£0.73
22 - 30	0.6	7	12	PHC 022 030	£0.39	SHC 022 030	£0.78
25 - 35	0.6	7	12	PHC 025 035	£0.40	SHC 025 035	£0.80
30 - 40	0.6	7	12	PHC 030 040	£0.44	SHC 030 040	£0.87
32 - 45	0.6	7	12	PHC 032 045	£0.44	SHC 032 045	£0.89
35 - 50	0.6	7	12	PHC 035 050	£0.46	SHC 035 050	£0.92
40 - 55	0.6	7	12	PHC 040 055	£0.49	SHC 040 055	£0.99
45 - 60	0.6	7	12	PHC 045 060	£0.56	SHC 045 060	£1.11
55 - 70	0.6	7	12	PHC 055 070	£0.57	SHC 055 070	£1.15
60 - 80	0.6	7	12	PHC 060 080	£0.62	SHC 060 080	£1.24
70 - 90	0.6	7	12	PHC 070 090	£0.64	SHC 070 090	£1.27
85 - 100	0.6	7	12	PHC 085 100	£0.67	SHC 085 100	£1.34
90 - 120	0.6	7	12	PHC 090 120	£0.69	SHC 090 120	£1.39
110 - 140	0.6	7	12	PHC 110 140	£0.76	SHC 110 140	£1.51
120 - 150	0.6	7	12	PHC 120 150	£0.78	SHC 120 150	£1.96
135 - 165	0.6	7	12	PHC 135 165	£0.81	SHC 135 165	£2.02

Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
17 - 19	0.6	M5	18	PTB 017 019	£0.97	STB 017 019	£1.84
20 - 22	0.6	M5	18	PTB 020 022	£0.97	STB 022 022	£1.84
23 - 25	0.6	M5	18	PTB 023 025	£1.01	STB 023 025	£1.91
26 - 28	0.6	M5	18	PTB 026 028	£1.01	STB 026 028	£1.91
29 - 31	0.8	M6	20	PTB 029 031	£1.21	STB 029 031	£2.29
32 - 35	0.8	M6	20	PTB 032 035	£1.21	STB 032 035	£2.29
36 - 39	0.8	M6	20	PTB 036 039	£1.25	STB 036 039	£2.37
40 - 43	0.8	M6	20	PTB 040 043	£1.25	STB 040 043	£2.37
44 - 47	1.2	M8	22	PTB 044 047	£1.27	STB 044 047	£2.42
48 - 51	1.2	M8	22	PTB 048 051	£1.31	STB 048 051	£2.49
52 - 55	1.2	M8	22	PTB 052 055	£1.35	STB 052 055	£2.56
56 - 59	1.2	M8	22	PTB 056 059	£1.38	STB 056 059	£2.62
60 - 63	1.2	M8	22	PTB 060 063	£1.55	STB 060 063	£2.95
64 - 67	1.2	M8	22	PTB 064 067	£1.57	STB 064 067	£2.98
68 - 73	1.5	M8	24	PTB 068 073	£1.63	STB 068 073	£3.09
74 - 79	1.5	M8	24	PTB 074 079	£1.71	STB 074 079	£3.24
80 - 85	1.5	M8	24	PTB 080 085	£1.80	STB 080 085	£3.41
86 - 91	1.5	M8	24	PTB 086 091	£1.81	STB 086 091	£3.44
92 - 97	1.5	M8	24	PTB 092 097	£1.84	STB 092 097	£3.50
98 - 103	1.5	M8	24	PTB 098 103	£1.94	STB 098 103	£3.69
104 - 112	1.5	M8	24	PTB 104 112	£2.07	STB 104 112	£3.93
113 - 121	1.5	M8	24	PTB 113 121	£2.18	STB 113 121	£4.14
122 - 130	1.5	M8	24	PTB 122 130	£2.21	STB 122 130	£4.21

MINI HOSE CLAMPS


The Mini Clip, also known as the Nut & Bolt, Fuel Line or Petrol Pipe Clip is tailor made for many applications where wide adjustment span is not necessary. Available in zinc plated or stainless steel.

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rolled Edges
Screw Type	Slotted Hex Head
Standard	DIN 3016



W1 - Zinc Plated Mild Steel Band, Screw & Nut
W4 - Stainless Steel Band, Screw & Nut



Clip Range (mm)	Band Thickness (mm)	Screw Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price (Per 10)	Stainless Steel Part No.	Price (Per 10)
7 to 9	0.6	7	9	PMC 007 009	£2.34	SMC 007 009	£4.21
8 to 10	0.6	7	9	PMC 008 010	£2.37	SMC 008 010	£4.27
9 to 11	0.6	7	9	PMC 009 011	£2.47	SMC 009 011	£4.45
10 to 12	0.6	7	9	PMC 010 012	£2.53	SMC 010 012	£4.55
11 to 13	0.6	7	9	PMC 011 013	£2.57	SMC 011 013	£4.62
12 to 14	0.6	7	9	PMC 012 014	£2.57	SMC 012 014	£4.62
13 to 15	0.6	7	9	PMC 013 015	£2.60	SMC 013 015	£4.69
14 to 16	0.6	7	9	PMC 014 016	£2.77	SMC 014 016	£4.99
15 to 17	0.6	7	9	PMC 015 017	£2.87	SMC 015 017	£5.17
16 to 18	0.6	7	9	PMC 016 018	£2.97	SMC 016 018	£5.34
18 to 20	0.6	7	9	PMC 018 020	£3.06	SMC 018 020	£5.51

RUBBER LINED P CLIPS


Rubber Lined P Clips are designed for securing pipes, hoses and cables in applications where there is the possibility of chafing and damage. Perfect for mounting to the chassis of vehicles and other industrial enclosures.

Clip Specification

Material	Zinc Plated or Stainless Steel
Band Type	Rubber Lined
Fixing Type	Double Band Head



W1 - Zinc Plated Mild Steel Band
W4 - Stainless Steel Band



Clip Range (mm)	Band Thickness (mm)	Hole Diameter (mm)	Band Width (mm)	Zinc Plated Part No.	Price (Per 10)	Stainless Steel Part No.	Price (Per 10)
5 to 6	0.6	5	12	PPC 005	£2.46	SPC 005	£4.17
6 to 8	0.6	5	12	PPC 006	£2.61	SPC 006	£4.44
8 to 10	0.6	5	12	PPC 008	£2.82	SPC 008	£4.79
10 to 13	0.6	5	12	PPC 010	£2.98	SPC 010	£5.07
13 to 16	0.6	5	12	PPC 013	£3.18	SPC 013	£5.08
16 to 21	0.6	5	12	PPC 016	£3.47	SPC 016	£5.20
21 to 25	0.6	5	12	PPC 021	£3.80	SPC 021	£5.70
25 to 29	0.6	5	12	PPC 025	£4.13	SPC 025	£6.20
29 to 35	0.6	5	12	PPC 029	£4.67	SPC 029	£7.01
35 to 40	0.6	5	12	PPC 035	£5.12	SPC 035	£7.69

JUBILEE HOSE CLIPS

WORM DRIVE HOSE CLIPS



Jubilee® is the original worm drive hose clip and since 1921 the company has supplied both original equipment and resale customers worldwide.

From the original patents to the current BS requirements the company has led the world with consistent high quality, combined with this has been eye catching point of sale material and practical packaging.

Jubilee Size Ref	Range (mm)	Zinc Plated Part No.	Price	Stainless Steel Part No.	Price
OOO	9.5 - 12	JHC 095 012	£0.67	JSC 095 012	£1.18
MOO	11 - 16	JHC 011 016	£0.67	JSC 011 016	£1.20
OO	13 - 20	JHC 013 020	£0.68	JSC 013 020	£1.20
O	16 - 22	JHC 016 022	£0.78	JSC 016 022	£1.50
OX	18 - 25	JHC 018 025	£0.79	JSC 018 025	£1.45
1A	22 - 30	JHC 022 030	£0.83	JSC 022 030	£1.60
1	25 - 35	JHC 025 035	£0.87	JSC 025 035	£1.65
1X	30 - 40	JHC 030 040	£0.91	JSC 030 040	£1.70
1M	32 - 45	JHC 032 045	£0.94	JSC 032 045	£1.78
2A	35 - 50	JHC 035 050	£0.97	JSC 035 050	£1.93
2	40 - 55	JHC 040 055	£1.00	JSC 040 055	£2.00
2X	45 - 60	JHC 045 060	£1.05	JSC 045 060	£2.08
3	55 - 70	JHC 055 070	£1.16	JSC 055 070	£2.23
3X	60 - 80	JHC 060 080	£1.22	JSC 060 080	£2.38
4	70 - 90	JHC 070 090	£1.27	JSC 070 090	£2.48
4X	85 - 100	JHC 085 100	£1.42	JSC 085 100	£2.58
5	90 - 120	JHC 090 120	£1.73	JSC 090 120	£2.85
6	110 - 140	JHC 110 140	£1.95	JSC 110 140	£3.10
6X	120 - 150	JHC 120 150	£2.07	JSC 120 150	£3.18
7	135 - 165	JHC 135 165	£2.09	JSC 135 165	£3.43
7.5	158 - 190	JHC 158 190	£2.13	JSC 158 190	£3.80
8.5	184 - 216	JHC 184 216	£2.42	JSC 184 216	£4.33
9.5	210 - 242	JHC 210 242	£2.76	JSC 210 242	£4.90
10.5	235 - 267	JHC 235 267	£2.99	JSC 235 267	£5.33
11.5	260 - 292	JHC 260 292	£3.22	JSC 260 292	£5.53
12.5	286 - 318	JHC 286 318	£3.34	JSC 286 318	£5.90

Full Range of Jubilee Hose Clips Available at www.autosiliconehoses.com

MIKALOR HOSE CLAMPS

W2 SUPRA HOSE CLAMPS - 'T BOLTS'



Supra W2 can be mounted in the most awkward applications without having to remove the hose. It can be opened up and fastened again when in place without dislodging any other parts of the clamp.

Thanks to the beveled edges, the hose is protected from damage. The high-strength bolt, designed and manufactured by Mikalor, together with the captive nut and spacer allow you to clamp the most demanding assemblies.

Part No.	Screw Diameter	Range (mm)	Band Width (mm)	Price
MT2 017 019	M6	17-19	18	£0.85
MT2 019 021	M6	19-21	18	£0.87
MT2 021 023	M6	21-23	18	£0.87
MT2 023 025	M6	23-25	18	£0.88
MT2 025 027	M6	25-27	18	£0.89
MT2 027 029	M6	27-29	18	£1.02
MT2 029 031	M7	29-31	20	£1.06
MT2 031 034	M7	31-34	20	£1.10
MT2 034 037	M7	34-37	20	£1.15
MT2 037 040	M7	37-40	20	£1.15
MT2 040 043	M7	40-43	20	£1.16
MT2 043 047	M7	43-47	20	£1.49
MT2 047 051	M7	47-51	20	£1.54
MT2 051 055	M7	51-55	20	£1.58
MT2 055 059	M7	55-59	20	£1.61
MT2 059 063	M7	59-63	20	£1.63
MT2 063 068	M7	63-68	20	£1.67
MT2 068 073	M8	68-73	25	£2.23
MT2 073 079	M8	73-79	25	£2.28
MT2 079 085	M8	79-85	25	£2.34
MT2 085 091	M8	85-91	25	£2.40
MT2 091 097	M8	91-97	25	£2.46
MT2 097 104	M8	97-104	25	£2.50
MT2 104 112	M8	104-112	25	£2.67
MT2 112 121	M8	112-121	25	£2.74
MT2 121 130	M8	121-130	25	£2.81
MT2 130 140	M10	130-140	28	£3.90
MT2 140 150	M10	140-150	28	£4.20
MT2 150 162	M10	150-162	28	£4.50

Full Range of Mikalor Hose Clips Available at www.autosiliconehoses.com

RADIATOR HOSE

- Heat resistant EPDM rubber.
- Used in cooling systems.
- -40 °C to +120 °C



Max Length: 1M

Part No.	ID (mm)	Price (Metre)
RRH 005	5	£2.34
RRH 006	6	£2.34
RRH 008	8	£2.34
RRH 010	10	£3.78
RRH 013	13	£4.21
RRH 016	16	£4.59
RRH 019	19	£4.59
RRH 022	22	£5.07
RRH 025	25	£5.67
RRH 028	28	£5.97
RRH 030	30	£6.17
RRH 032	32	£6.35
RRH 035	35	£6.63
RRH 038	38	£6.95
RRH 040	40	£7.09
RRH 045	45	£7.47
RRH 048	48	£7.83
RRH 051	51	£8.08
RRH 055	55	£8.59
RRH 060	60	£9.33
RRH 063	63	£9.64
RRH 070	70	£10.61
RRH 076	76	£13.74
RRH 090	90	£15.56
RRH 102	102	£22.64

AIR LINE HOSE

- Seamless EPDM. Used in air pressure systems.
- -40 °C to +120 °C



Max Length: 20M

Part No.	ID (mm)	Price (Metre)
RAL 006	6.5	£1.43
RAL 008	8	£1.87
RAL 010	10	£2.20
RAL 013	13	£2.42

HEATER HOSE

- Heat resistant EPDM with synthetic textile reinforcement.
- Used to convey hot & cold water in automotive vehicles.
- -40 °C to +120 °C



Max Length: 20M

Part No.	ID (mm)	Price (Metre)
RHH 010	10	£1.59
RHH 013	13	£2.04
RHH 016	16	£2.31
RHH 019	19	£3.51
RHH 025	25	£4.56

MARINE FUEL & OIL

- Petrol & Diesel Oil resistant rubber with twin steel wire & copper helix.
- Used in all craft, resistant to flame, ozone & sea conditions.
- -35 °C to +100 °C




Max Length: 10M

Part No.	ID (mm)	Price (Metre)
RMH 005	5	£3.53
RMH 006	6	£3.53
RMH 008	8	£4.09
RMH 010	10	£4.89
RMH 013	13	£6.52
RMH 016	16	£7.64
RMH 019	19	£10.39
RMH 025	25	£11.95
RMH 032	32	£14.95
RMH 038	38	£16.95
RMH 051	51	£22.95

WIRE REINFORCED

- Heat resistant EPDM with synthetic texture and galvanised steel wire.
- Used in cooling and radiator systems.
- -40 °C to +120 °C



Max Length: 1M

Part No.	ID (mm)	Price (Metre)
RWR 019	19	£12.05
RWR 022	22	£12.32
RWR 025	25	£13.53
RWR 028	28	£14.08
RWR 032	32	£14.44
RWR 035	35	£17.11
RWR 038	38	£18.07
RWR 045	45	£20.98
RWR 051	51	£25.58

FUEL & OIL HOSE

- Fuel and Oil resistant rubber with fibre reinforcement.
- Resistant to aging, weather, oil and abrasion.
- Used in the delivery of unleaded or leaded fuel types.
- -30 °C to +100 °C



Max Length: 100M

Part No.	ID (mm)	Price (Metre)
RFO 005	5	£1.99
RFO 006	6	£2.10
RFO 008	8	£2.40
RFO 010	10	£3.15
RFO 013	13	£3.86

VAC RETARD HOSE

- Seamless heat & age resistant EPDM.
- Used in water systems.
- -35 °C to +85 °C



Max Length: 10M

Part No.	ID (mm)	Price (Metre)
PJT 003	3	£1.60
PJT 004	4	£1.95

LAY FLAT HOSE

- Blue PVC Layflat hose with polyester reinforcement.
- Yellow PVC Layflat hose is a higher spec layflat capable of transferring light chemicals and other liquids.
- Used in conveyance & discharge of water.
- Blue: -15 °C to +55 °C
- Yellow: -15 °C to +60 °C



Max Length: 100M

Part No. (Blue)	Part No. (Yellow)	ID (mm)	Price (Blue)	Price (Yellow)
LFB 025	LFY 025	25	£8.40	£12.60
LFB 032	LFY 032	32	£10.50	£13.50
LFB 038	LFY 038	38	£10.65	£15.30
LFB 052	LFY 051	52	£13.50	£18.30
LFB 063	LFY 063	63	£15.60	n/a
LFB 076	LFY 076	76	£18.90	£32.10
LFB 102	LFY 102	102	£27.60	£42.00
LFB 153	LFY 153	153	£52.50	£79.50
LFB 203	LFY 203	203	£63.00	n/a

COTTON OVERBRAID

- Fuel and Oil resistant rubber with a single textile braid.
- Used in the delivery of fuels and oils.
- -40 °C to +85 °C



Max Length: 20M

Part No.	ID (mm)	Price (Metre)
RCO 032	3.2	£2.12
RCO 035	3.5	£2.12
RCO 004	4	£2.48
RCO 045	4.5	£2.48
RCO 005	5	£2.64
RCO 055	5.5	£2.64
RCO 006	6	£2.88
RCO 007	7	£3.00
RCO 075	7.5	£3.00
RCO 008	8	£3.24
RCO 009	9.5	£4.20
RCO 010	10	£4.44
RCO 012	12	£4.96
RCO 014	14	£5.96

STEEL OVERBRAID

- Fuel and Oil resistant rubber with stainless steel overbraided.
- Used in the delivery of fuels & oils.
- -20 °C to +80 °C



Max Length: 10M

Part No.	ID (mm)	Price (Metre)
RSO 006	6	£6.12
RSO 008	8	£7.99
RSO 010	10	£9.11
RSO 013	13	£11.12
RSO 019	19	£17.32

PVC BRAIDED

- Synthetic Reinforced PVC.
- Used for gardening, irrigation, water delivery & much more.
- -20 °C to +65 °C



Max Length: 30M

Part No.	ID (mm)	Price (Metre)
PBT 006	6	£0.62
PBT 008	8	£0.71
PBT 010	10	£0.85
PBT 013	13	£1.22
PBT 016	16	£1.64
PBT 019	19	£1.84
PBT 025	25	£1.97
PBT 032	32	£3.57
PBT 038	38	£4.11
PBT 051	51	£6.65

PVC CLEAR

- Smooth transparent PVC
- Used for conveying liquids, air, light chemicals, oils, detergents and much more.
- -10 °C to +60 °C



30M Coils

Part No.	ID (mm)	Price (30 Metre)
PCT 003	3	£8.48
PCT 004	4	£9.41
PCT 005	5	£10.20
PCT 006	6	£12.19
PCT 008	8	£15.11
PCT 009	9	£17.23
PCT 010	10	£32.99
PCT 012	12	£18.68
PCT 016	16	£22.26
PCT 019	19	£26.10
PCT 025	25	£71.55

ASH ACCESSORIES

A AutoSiliconeHoses.com From Alloy Hose Blanking Plugs to Air Filter Heat Shields not forgetting Silicone Repair Tape, Engine Conduit Wire Cover & Air Ducting Cones.

We are constantly developing our range of performance accessories.



SILICONE TAPES



Part No.	Colour	Price
SRT B	Blue	£7.50
SRT R	Red	£7.50
SRT K	Black	£7.50
SRT W	White	£7.50
SRT Y	Yellow	£7.50
SRT G	Green	£7.50
SRT C	Clear	£7.50
SRT O	Orange	£7.50

AutoSiliconeHoses.com self bonding Silicone Repair Tape has infinite applications, Most common uses include hose repair and covering of existing rubber hoses in engine bays for colour co-ordination.

Resists moisture, oxygen, and ozone. Conforms smoothly when wrapped around complex shapes. Bonds to itself at room temperature. Remains non-tacky and does not stick to other surfaces

Tape Specification

Material	Silicone Tape
Width	25mm
Length	3 Metre
Max Temperature	-60 °C to +260 °C

CONDUIT KITS



Part No.	Colour	Single/Kit	Length (metre)	Price
EDK 001	Blue	Kit	10	£11.44
EDK 002	Red	Kit	10	£11.44
EDK 003	Black	Kit	10	£11.44
EDK 007 B	Blue	7mm	10	£7.99
EDK 007 R	Red	7mm	10	£7.99
EDK 007 K	Black	7mm	10	£7.99
EDK 015 K	Black	15mm	10	£7.99

Quality Split Polypropylene Conduit with a High Temperature Range -40°C to +120°C. Ideal for use in the engine bay to Protect Cables & Hoses, and Colour Code your Engine Bay.

Mixed Kit Contents:

- 3 Metres of 7mm ID Split Conduit.
- 5 Metres of 15mm ID Split Conduit.
- 2 Metres of 25mm ID Split Conduit.
- 20 x Colour Coded Cable Ties

Conduit Specification

Material	PVC
Contents	Conduit + Cable Ties
Lengths	10 Metre (Total)
Max Temperature	-60 °C to +325 °C

AIR INLETS FUNNELS



Part No.	Size	Outside Diameter	Price
AAI 001	Size 1	93mm	£8.63
AAI 002	Size 2	113mm	£8.63
AAI 003	Size 3	132mm	£8.63

AutoSiliconeHoses.com Air Inlet Ducting Cones are designed to be mounted externally on the vehicle. Simply attach any of our range of air ductings to the back of the funnel and then direct cold air to where it is required.

The tapered cone design allows fitment to a range of ducting sizes.

Fitment Guide - Advised Ducting Sizes

Size 1	Size 2	Size 3
51mm	70mm	90mm
57mm	76mm	95mm
60mm	80mm	102mm
63mm	83mm	85mm

Inlet Specification

Material	Alloy T6063
Colours	Blue - Black - Red - Silver
Overall Depth	60mm
Max Temperature	-60 °C to +220 °C

FLEXI DUCTINGS



Part No.	Colour	Price
FPD 076 B	BLUE	£9.95
FPD 076 R	RED	£9.95
FPD 076 K	BLACK	£9.95

AutoSiliconeHoses.com 'Flexi Duct' is a flexible plastic ducting consisting of a PVC coated ducting with an embedded wire helix enabling the ducting to hold a desired shape. Light weight & good in applications in high temperature and low pressure ranges.


Fully Extended Length is 1 Metre, with a minimum contracted length of 300mm. Kit includes 1 end piece and 1 end trumpet. Internal diameter of 76mm.

Used for hot and cold air feed or extraction of fumes and dust.

Ducting Specification

Material	PVC with Wire Helix
Colours	Blue - Black - Red
Lengths	1 Metre
Operating Temperature	-60 °C to +125 °C

INTERCOOLERS



Part No.	Dimensions (mm) A - B - C - D - E	Price
AIK 001	570 - 180 - 63 - 57 - 540	£95.00
AIK 002	780 - 300 - 76 - 76 - 600	£99.50

AutoSiliconeHoses mounted Intercoolers are designed, manufactured & tested to meet & exceed race specifications. The universal design offers a solution to modifiers who have developed custom or bespoke turbo systems.

Intercooler Specification

Material	Alloy T6061
Construction	TIG Welded
Mounting	4 Point Mount
Max Temperature	-60 °C to +220 °C

HEATSHIELDS



Part No.	Dimensions W x H (mm)	Mounting Brackets	Price
AHS 001	170 - 130	3	£5.95
AHS 002	70 - 55	3	£9.95

AutoSiliconeHoses.com Heat Shields are designed to shield and protect Air Filters against engine heat, ensuring only cool fresh air passes through the filter element. This in turn increases horsepower and overall engine performance.


Heatshield Specification

Material	Alloy T6063
Colour/Finish	Polished Alloy
Mounting	3 Point Mounting
Max Temperature	-60 °C to +220 °C

PLASTIC JOINERS / CONNECTORS

AutoSiliconeHoses.com offer a range of Plastic PVC durable Hose Joiners available in 7 shapes with over 30 size variations. Perfect to use alongside our Silicone Vacuum Tubing. It's the little things that count!

Go to www.autosiliconehoses.com for all dimensions.




STRAIGHT CONNECTOR



Part No.	OD (mm)	Price
PJS 003	3	£2.24
PJS 004	4	£2.24
PJS 005	5	£2.24
PJS 006	6	£2.24
PJS 008	8	£2.24
PJS 010	10	£2.24
PJS 013	13	£2.82
PJS 014	14	£2.82
PJS 016	16	£3.39
PJS 019	19	£3.39

Y-PIECE CONNECTOR



Part No.	OD (mm)	Price
PJY 003	3	£2.24
PJY 004	4	£2.24
PJY 005	5	£2.24
PJY 006	6	£2.24
PJY 008	8	£2.82
PJY 010	10	£2.82
PJY 012	12	£3.39
PJY 014	14	£3.39
PJY 016	16	£3.39
PJY 019	19	£3.39

T-PIECE CONNECTOR




Part No.	OD (mm)	Price
PJT 003	3	£2.59
PJT 004	4	£2.59
PJT 005	5	£2.59
PJT 006	6	£2.59
PJT 007	7	£3.16
PJT 008	8	£3.16
PJT 010	10	£3.16
PJT 013	13	£3.39
PJT 014	14	£3.39
PJT 015	15	£3.39
PJT 016	16	£3.39
PJT 019	19	£3.74
PJT 025	25	£3.74

Joiner Specification

Material	Plastic (POM)
Colour	White
Fitment	Barbed
Max Temperature	-40 °C to +120 °C

90° ELBOW CONNECTOR



Part No.	OD (mm)	Price
PJN 003	3	£2.24
PJN 004	4	£2.24
PJN 005	5	£2.24
PJN 006	6	£2.24
PJN 008	8	£2.82
PJN 010	10	£2.82
PJN 013	13	£3.39
PJN 015	15	£3.39
PJN 016	16	£3.39
PJN 019	19	£3.39
PJN 025	25	£3.39

STRAIGHT REDUCING CONNECTOR



Part No.	OD (mm)	Price
PSR 04 03	4 - 3	£2.24
PSR 06 04	6 - 4	£2.24
PSR 08 04	8 - 4	£2.24
PSR 08 06	8 - 6	£2.24
PSR 10 06	10 - 6	£2.24
PSR 10 08	10 - 8	£2.82
PSR 13 08	13 - 8	£2.82
PSR 13 10	13 - 10	£3.39
PSR 16 13	16 - 13	£3.39
PSR 19 16	19 - 16	£3.39

X-PIECE CONNECTOR



Part No.	OD (mm)	Price
PJX 004	4	£2.24
PJX 005	5	£2.24
PJX 006	6	£2.82
PJX 012	12	£3.39

T-PIECE REDUCING CONNECTOR



Part No.	OD (mm)	Price
PTR 03 04 03	3-4-3	£2.24
PTR 04 06 04	4-6-4	£2.24
PTR 06 04 06	6-4-6	£2.24
PTR 08 06 08	8-6-8	£2.82
PTR 08 12 08	8-12-8	£2.82
PTR 10 06 10	10-6-10	£2.82
PTR 10 08 10	10-8-10	£2.82
PTR 10 13 10	10-13-10	£2.82
PTR 12 06 12	12-6-12	£3.39
PTR 12 08 12	12-8-12	£3.39
PTR 12 10 12	12-10-12	£3.39
PTR 15 08 15	15-8-15	£4.00
PTR 18 15 18	18-15-18	£4.00

LIGHTING UPGRADES

BUY NOW - WWW.APBULBS.COM

XENON BULBS



Includes Side Lights

XENON BULBS

- Available in 55w & 100w (or equivalent)
- Blue tinted lens with a white output.
- Free matching white 501 side lights.

Prices from **£5.95**

FITMENTS

- H1 • H3 • H4 • H7 • H8 • H9 • H10 • H11 • H12 • HB3 • HB4

HID CONVERSION KIT



- 4300k
- 5000k
- 6000k
- 8000k
- 10000k
- 12000k

HID KITS

- 35w HID Kits using AC Digital Ballasts
- A range of HID bulb adaptors available.
- Universal kits to fit any of the fitments listed below.

Prices from **£29.95**

FITMENTS

- H1 • H3 • H4-3 • H7 • H8 • H9 • H10 • H11 • H12 • HB3 • HB4

HUGE LED RANGE AVAILABLE



AERO FLAT WIPER BLADES

BUY NOW - WWW.APWIPERS.COM

Wiper Blades

- Exclusive Wiper Structure
- Advanced Aero Design
- Improved Durability
- Revolutionary Quiet Operation
- Reduced Streaking and Smearing
- Resistance to all adverse climates

Blade Length (inch)	Blade Length (mm)	Hook Fitment Part No.	Hook Fitment Price	Multi Fitment Part No.	Multi Fitment Price
11"	280	AWB HOOK 011	£2.55	AWB MULTI 011	£3.95
12"	300	AWB HOOK 012	£2.55	AWB MULTI 012	£3.95
13"	330	AWB HOOK 013	£2.55	AWB MULTI 013	£3.95
14"	350	AWB HOOK 014	£2.55	AWB MULTI 014	£3.95
15"	380	AWB HOOK 015	£2.55	AWB MULTI 015	£3.95
16"	400	AWB HOOK 016	£2.55	AWB MULTI 016	£3.95
17"	430	AWB HOOK 017	£2.55	AWB MULTI 017	£3.95
18"	450	AWB HOOK 018	£2.55	AWB MULTI 018	£3.95
19"	480	AWB HOOK 019	£2.55	AWB MULTI 019	£3.95
20"	500	AWB HOOK 020	£2.55	AWB MULTI 020	£3.95
21"	530	AWB HOOK 021	£2.55	AWB MULTI 021	£3.95
22"	550	AWB HOOK 022	£2.55	AWB MULTI 022	£3.95
23"	575	AWB HOOK 023	£3.00	AWB MULTI 023	£4.50
24"	600	AWB HOOK 024	£3.00	AWB MULTI 024	£4.50
26"	660	AWB HOOK 026	£3.00	AWB MULTI 026	£4.50
28"	700	AWB HOOK 028	£3.00	AWB MULTI 028	£4.50
30"	760	AWB HOOK 030	£3.00	AWB MULTI 030	£4.50
32"	810	AWB HOOK 032	£3.00	AWB MULTI 032	£4.50



3 Steps to Repairing a Wheel...

- FILL • SAND • PAINT!

The complete repair kit in a box!



THE COMPLETE ALLOY WHEEL REPAIR KIT

The perfect solution for repairing deep scuffs & scratches, kerb damage to the wheel rim and most other superficial non-structural damage to your alloy wheels. This kit provides all the components you need to repair your alloy wheels yourself and contains detailed instructions of how to achieve a professional finish.

Kit Includes: Paint, Lacquer, Putty, Files, Masking Tape, Rim Shield, Sandpaper, Gloves and Cleaning Sachets.

Choice of 5 Colours:

Technik Grey, Drift Gold, Competition White, Motorsport Black or Metallic Silver.

- Complete Kit - **£24.95**

Micro Kit with 12ml Touch-up stick



- Alloy wheel putty
- 12ml touch-up paint stick, in the colour of your choice
- Pair of gloves
- Application instructions

- Micro Kit - **£12.95**

ALLOY WHEEL PAINT

No.1 alloy wheel refurbishment paint...

If you are going to refurbish and paint your alloy wheels you need to use a paint that has been specially developed for this purpose!

This paint Provides excellent adhesion and a durable chip resistant coating. Supplied in a 400ml aerosol or a 12ml touch-up stick with detailed instructions.

- 400ml Aerosol - **£6.95**
- 12ml Touch-Up Stick - **£4.95**
- 400ml Hi-Gloss Clear Lacquer - **£6.95**

Colours Available:

Grey - Gold - White - Black - Silver - Clear



LENS TINTING SPRAY

The only product on the market that is suitable for all types of lenses, glass or plastic. Designed for use on headlights, side repeaters and rear lights for aggressive styling with minimal light reduction or distortion. Easy to apply with detailed clear English instructions. Road legal when applied as per instructions.

- 150ml Aerosol Tint Spray - **£4.95**

4 Colours: Blue - Red - Green - Smoke



FORM DETAIL CLEANING SWABS

Ideal for cleaning in small spaces or recesses, particularly air vents, centre consoles and interior panels. Shaped foam swab on a 140mm stick

- Packs of 10 - **£4.95**

Pack of 10

